

W. MCDOWELL RD GOODYEAR, AZ 85338 MARICOPA COUNTY

PROJECT TEAM

SITE ACQUISITION: RELIANT LAND SERVICES 7201 E. CAMELBACK RD., SUITE 310 SCOTTSDALE, AZ 85251 CONTACT: MELISSA PARKER PHONE: (602) 453-0050 DIRECT: (602) 328-0275

MELISSA.PARKER@RLSUSA.COM ARCHITECTURAL & ENGINEERING: RELIANT LAND SERVICES 7201 E. CAMELBACK RD., SUITE 310

SCOTTSDALE, AZ 85251 CONTACT: HECTOR LOERA PHONE: (602) 453-0050 DIRECT: (602) 535-6572 HECTOR.LOERA@RLSUSA.COM

SURVEYOR: RLF CONSULTING, LLC 1214 N. STADEM DR. TEMPE, AZ 85281 RYAN L. FIDLER

PHONE: (480) 445-9189 DIRECT: (480) 510-3668 RYAN.FIDLER@RLFCONSULTING.COM DAMON.GAUTHIER@VERIZONWIRELESS.COM

APPROVALS

DISCIPLINE

LANDLORD

PROPERTY OWNER

PROJECT MANAGER

DEVELOPMENT MGR.

RF ENGINEER

ZONING

CONSTRUCTION

SITE ACQUISITION

TOWER OWNER

ZONING/PERMITTING:

RELIANT LAND SERVICES

SCOTTSDALE, AZ 85251

PHONE: (602) 453-0050

DIRECT: (480) 266-8753

RF ENGINEER:

VERIZON WIRELESS

CONTACT: LIBER TEIXIDO

CONSTRUCTION MANAGER

CONTACT: DAMON GAUTHIER

LIBER.TEIXIDO@VERIZONWIRELESS.COM

DIRECT: (602) 320-0079

126 W GEMINI DR

TEMPE, AZ 85283

VERIZON WIRELESS

126 W GEMINI DR

TEMPE, AZ 85283

THE FOLLOWING PARTIES HEREBY APPROVE AND ACCEPT THESE DOCUMENTS AND

AUTHORIZE THE CONTRACTOR TO PROCEED WITH THE CONSTRUCTION DESCRIBED

HEREIN. ALL CONSTRUCTION DOCUMENTS ARE SUBJECT TO REVIEW BY THE LOCAL

BUILDING DEPARTMENT AND ANY CHANGES AND MODIFICATIONS THEY MAY IMPOSE.

SIGNATURE

PHONE: (480) 777-4348

DIRECT: (602) 291-5983

CONTACT: DAVID ULLRICH

DAVID.ULLRICH@RLSUSA.COM

VERIZON WIRELESS 126 W. GEMINI DR. 7201 E. CAMELBACK RD., SUITE 310 TEMPE, AZ 85283

PROPERTY INFORMATION:

OWNER:

(602) 712-8811 PHONE:

OCCUPANCY TYPE: S-2 (TELECOM FACILITY)

CURRENT ZONING: C-2

JURISDICTION:

APN: SECTION:

TOWNSHIP:

DATE

PROJECT SUMMARY

APPLICANT / LESSEE: CONTACT: DAMON GAUTHIER

ARIZONA DEPARTMENT OF TRANSPORTATION 205 S 17TH ST

PHOENIX, AZ 85034

LESEE: VERIZON

LEASE AREA: 800 S.F.

CITY OF GOODYEAR

502-40-269

RANGE: 2W

PROJECT DESCRIPTION

CONSTRUCTION OF AN UNMANNED TELECOMMUNICATION FACILITY FOR VERIZON WIRELESS. THE PROJECT ENTAILS THE INSTALLATION OF THE FOLLOWING:

- INSTALLATION OF (12) PROPOSED PANEL ANTENNAS (4 ANTENNAS PER SECTOR, 3 SECTORS TOTAL) MOUNTED ON A PROPOSED 65'-0" HIGH MONOPALM.
- INSTALLATION OF (12) PROPOSED RRU'S & (12) PROPOSED A2'S (4 RRU'S + 4 A2'S PER SECTOR)
- INSTALLATION OF (2) PROPOSED HYBRID FIBER CABLES WITH (2) RAYCAP SURGE
- **PROTECTORS** INSTALLATION OF A (3) EQUIPMENT CABINETS ON CONCRETE PAD.
- INSTALLATION OF A PROPOSED (1) 30KW DC POLAR GENERATOR WITH A 55 GALLON
- INSTALLATION OF PROPOSED (1) ELECTRICAL PANEL, (2) TELCO CABINETS & EMERGENCY
- DIESEL STORAGE MOUNTED ON A CONCRETE PAD GENERATOR PLUG

DRIVING DIRECTIONS

DIRECTIONS FROM VERIZON WIRELESS OFFICE IN TEMPE, AZ OFFICE:

FROM 126 W. GEMINI DR., TEMPE: HEAD WEST ON W GEMINI DR TOWARD S ASH AVE

PROJECT AREA

- TURN LEFT ONTO S ASH AVE TURN RIGHT ONTO W GUADALUPE RD
- 4. TURN RIGHT AT THE 1ST CROSS STREET ONTO S KYRENE RD


W VAN BUREN ST

- 5. TURN LEFT ONTO W BASELINE RD 6. TURN RIGHT ONTO THE I-10 W RAMP TO PHOENIX/GLOBE/US-60
- KEEP LEFT AT THE FORK, FOLLOW SIGNS FOR I-10 W/US-60W/PHOENIX AND MERGE
- ONTO I-10W MERGE ONTO I-10 W

VICINITY MAP

- 9. KEEP LEFT AT THE FORK TO STAY ON I-10 W, FOLLOW SIGNS FOR INTERSTATE 10 W/LOS
- 10. TAKE EXIT SARIVAL AVE
- 11. TURN RIGHT ONTO N SARIVAL AVE
- 12. TURN LEFT ONTO W MCDOWELL
- 13. CONTINUE DRIVING STRAIGHT FOR 2 MILES.
- 14. DESTINATION WILL BE ON THE LEFT.

SITE PHOTO



SHEET INDEX	

W MCDOWELL RD

(10)

_		
SHI	EET	DESCRIPTION
Т	T-1	TITLE SHEET
LS	S-1	SITE SURVEY
A-	-1.0	OVERALL SITE PLAN
Α-	-1.1	ENLARGED SITE PLAN
Α	\- 2	EQUIPMENT PLAN & ANTENNA LAYOUT
A	\- 3	ARCHITECTURAL ELEVATIONS

ISSUED FOR ZONING

CODE COMPLIANCE

ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES.

2006 INTERNATIONAL BUILDING CODE 2006 INTERNATIONAL RESIDENTIAL CODE

2006 INTERNATIONAL MECHANICAL CODE

2006 INTERNATIONAL PROPERTY MAINTENANCE CODE

2006 INTERNATIONAL ENERGY CONSERVATION CODE 1994 UNIFORM PLUMBING CODE

2005 NFPA 70, THE NATIONAL ELECTRICAL CODE w/ ANNEX A-G

2005 NFPA 99, HEALTH CARE FACILITIES

2003 ICC/ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES



PLANS PREPARED BY: 7201 E. CAMELBACK RD, SUITE 310, SCOTTSDALE, AZ 8525

WWW.RLSUSA.COM PH. (602) 453-0050 FAX (602) 453-000

CONSULTING GROUP:

—INO. –	DAIL.	DESCRIPTION. —	D1
А	11/10/15	90% ZD	KD
0	12/8/15	100% ZD	UC

SITE INFORMATION:

PHO COTTON LANE

W. MCDOWELL RD GOODYEAR. AZ 85338


MARICOPA COUNTY



SHEET TITLE:

TITLE SHEET

SHEET NUMBER:



LESSOR'S LEGAL DESCRIPTION

A PORTION OF THE NORTH HALF OF SECTION 2, TOWNSHIP 1 NORTH, RANGE 2 WEST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF SAID SECTION 2;

THENCE SOUTH 89°42'40 " EAST, ALONG THE NORTH LINE OF SAID SECTION 2 TO THE NORTH QUARTER CORNER, A DISTANCE OF 2644.85 FEET; THENCE NORTH 89°49'33" EAST, ALONG SAID NORTH LINE, A DISTANCE OF 902.85 FEET; THENCE SOUTH 00°10'27 " EAST MEASURED (SOUTH 00°13'45 " EAST RECORD), ALONG THE WESTERLY LINE OF THAT CERTAIN WELL SITE DESCRIBED IN DOCKET 7707, PAGE 271, (SIC, RECORDS OF MARICOPA COUNTY, ARIZONA) A DISTANCE OF 165.00 FEET; THENCE NORTH 89°49'33" EAST MEASURED (NORTH 89°46'15 " EAST RECORD), ALONG A LINE 165.00 FEET SOUTH OF AND PARALLEL WITH SAID NORTH LINE, A DISTANCE OF 15.00 FEET, TO A POINT ON THE WESTERLY LINE OF A WATER LINE AS DESCRIBED IN DOCKET 7707, PAGE 271 (SIC, RECORDS OF MARICOPA COUNTY, ARIZONA); THENCE SOUTH 00°24'26" WEST MEASURED (SOUTH 00°21'08" WEST RECORD), A DISTANCE OF 389.27 FEET, TO A POINT ON THE NORTH LINE OF THAT CERTAIN HIGHWAY AS SET FORTH IN DOCKET 14316, PAGE 867 (SIC, RECORDS OF MARICOPA COUNTY, ARIZONA); THENCE SOUTH 80°01'58" WEST MEASURED (SOUTH 80°02'05" WEST RECORD), A DISTANCE OF 385.50 FEET; THENCE SOUTH 48°45'38" WEST MEASURED (SOUTH 48°45'45 " WEST RECORD), A DISTANCE OF 531.51 FEET: THENCE SOUTH 89 ° 56 ' 47 " WEST MEASURED (SOUTH 89 ° 56 ' 54 " WEST RECORD), A DISTANCE OF 1400.00 FEET; THENCE NORTH 00°03 '13 " WEST MEASURED (NORTH 00°03'06 " WEST RECORD), A DISTANCE OF 500.00 FEET; THENCE SOUTH 78°38'11 " WEST MEASURED (SOUTH 78°38'18 " WEST RECORD), A DISTANCE OF 509.90 FEET; THENCE SOUTH 63°22'53 " WEST MEASURED (SOUTH 63°23'00" WEST RECORD), A DISTANCE OF 670.82 FEET; THENCE SOUTH 00°03'13" WEST MEASURED (SOUTH 00°03'06 " WEST RECORD), A DISTANCE OF 100.00 FEET; THENCE SOUTH 89°56'47" WEST MEASURED (SOUTH 89°56'54" WEST RECORD), A DISTANCE OF 226.24 FEET; THENCE NORTH 00°00'40" EAST, ALONG A LINE 55.00 FEET EAST OFTHE WEST LINE OF SAID SECTION 2, A DISTANCE OF 520.09 FEET MEASURED (520.00 FEET RECORD); THENCE SOUTH 89°56'47" WEST MEASURED (SOUTH 89 ° 56 ' 54 " WEST RECORD), A DISTANCE OF 55.00 FEET; THENCE NORTH 00°00'40" EAST, ALONG SAID WEST LINE, A DISTANCE OF 464.42 FEET TO THE POINT OF BEGINNING.

EXCEPTING THEREFROM THAT PORTION OF THE NORTH HALF OF SECTION 2, TOWNSHIP 1 NORTH, RANGE 2 WEST, GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA AND SALT RIVER MERIDIAN, MARICOPA COUNTY, ARIZONA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF SAID SECTION 2:

THENCE SOUTH 89°42'40" EAST ALONG THE NORTH LINE OF SAID SECTION 2 TO THE NORTH QUARTER CORNER, A DISTANCE OF 2644.86 FEET; THENCE NORTH 89°49'33" EAST (NORTH 89°48'15" EAST RECORD) ALONG SAID NORTH LINE, A DISTANCE OF 902.85 FEET (903.02 FEET RECORD); THENCE SOUTH 00°10'27" EAST MEASURED (SOUTH 00°13'45" EAST RECORD), ALONG THE WESTERLY LINE OF THAT CERTAIN WELL SITE DESCRIBED IN DOCKET 7707, PAGE 271, M.C.R., A DISTANCE OF 65 FEET; THENCE SOUTH 89°49'33" WEST, A DISTANCE OF 902.85 FEET, PARALLEL WITH THE MEASURED NORTH LINE OF SAID SECTION 2; THENCE NORTH 89°42'40" WEST, A DISTANCE OF 2555.07 FEET, PARALLEL WITH SAID NORTH LINE; THENCE SOUTH 45°09'00" WEST, A DISTANCE OF 49.38 FEET; THENCE SOUTH 00°00'40" WEST, A DISTANCE OF 364.09 FEET, PARALLEL WITH THE WEST LINE OF SAID SECTION 2; THENCE SOUTH 89°56'47" WEST MEASURED (SOUTH 89°56'54" WEST RECORD), ALONG THE WEST LINE OF SAID SECTION 2, A DISTANCE OF 55.00 FEET; THENCE NORTH 00°00'40" EAST, A DISTANCE OF 464.42 FEET TO THE POINT OF BEGINNING.

LESSEE ACCESS AND UTILITY EASEMENT LEGAL DESCRIPTION A 12.00 FOOT WIDE STRIP OF LAND BEING A PORTION OF THE NORTHWEST QUARTER OF SECTION 2, TOWNSHIP 1 NORTH, RANGE 2 WEST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, AS DELINEATED ON PLANS ON FILE IN THE OFFICE OF THE STATE ENGINEER, INTERMODEL TRANSPORTATION DIVISION, ARIZONA DEPARTMENT OF TRANSPORTATION, PHOENIX ARIZONA, ENTITLED RIGHT OF WAY PLANS OF STATE ROUTE 303L (BOB STUMP MEMORIAL PARKWAY) PROJECT 303L MA 002 H7139 01R LYING 6.00 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE:

COMMENCING AT A BRASS CAP IN HANDHOLE MARKING THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER OF SECTION 2, FROM WHICH THE NORTH QUARTER CORNER OF SAID SECTION 2, A 1" SQUARE IRON, BEARS SOUTH 89. 26' 10", EAST 2645.17 FEET (2644.74 MEASURED); THENCE ALONG THE WEST LINE OF SAID NORTHWEST QUARTER SOUTH 00°17'10" WEST, 748.46 FEET; THENCE DEPARTING SAID WEST LINE NORTH 90°00'00" EAST, 55.00 FEET TO THE EAST RIGHT OF WAY LINE OF CITRUS ROAD ALSO BEING THE POINT OF BEGINNING.

THENCE NORTH 71°28'25" EAST, 67.44 FEET TO THE POINT OF TERMINUS.

SIDELINES TO BE LENGTHENED AND SHORTENED TO CREATE ONE CONTIGUOUS PARCEL.

LESSEE LEASE AREA LEGAL DESCRIPTION

A PORTION OF THE NORTHWEST QUARTER OF SECTION 2, TOWNSHIP 1 NORTH, RANGE 2 WEST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, AS DELINEATED ON PLANS ON FILE IN THE OFFICE OF THE STATE ENGINEER, INTERMODEL TRANSPORTATION DIVISION, ARIZONA DEPARTMENT OF TRANSPORTATION, PHOENIX ARIZONA, ENTITLED RIGHT OF WAY PLANS OF STATE ROUTE 303L (BOB STUMP MEMORIAL PARKWAY) PROJECT 303L MA 002 H7139 01R DESCRIBED AS FOLLOWS:

COMMENCING AT A BRASS CAP IN HANDHOLE MARKING THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER OF SECTION 2, FROM WHICH THE NORTH QUARTER CORNER OF SAID SECTION 2, A 1" SQUARE IRON, BEARS SOUTH 89. 26' 10", EAST 2645.17 FEET (2644.74 MEASURED); THENCE ALONG THE WEST LINE OF SAID NORTHWEST QUARTER SOUTH 00°17'10" WEST, 748.46 FEET; THENCE DEPARTING SAID WEST LINE NORTH 90°00'00" EAST, 55.00 FEET TO THE EAST RIGHT OF WAY LINE OF CITRUS ROAD; THENCE NORTH 71°28'25" EAST, 67.44 FEET TO THE POINT OF BEGINNING;

THENCE NORTH 00°00'00" EAST, 13.08 FEET; THENCE NORTH 00°00'00" EAST, 15.93 FEET; THENCE NORTH 90°00'00" EAST, 22.67 FEET; THENCE SOUTH 00°00'00" EAST, 35.33 FEET; THENCE NORTH 90°00'00" WEST, 22.67 FEET; THENCE NORTH 00°00'00" EAST, 6.33 FEET TO THE POINT OF BEGINNING.

LESSEE UTILITY EASEMENT LEGAL DESCRIPTION A 5.00 FOOT WIDE STRIP OF LAND BEING A PORTION OF THE NORTHWEST QUARTER OF SECTION 2, TOWNSHIP 1 NORTH, RANGE 2 WEST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA, AS DELINEATED ON PLANS ON FILE IN THE OFFICE OF THE STATE ENGINEER, INTERMODEL TRANSPORTATION DIVISION, ARIZONA DEPARTMENT OF TRANSPORTATION, PHOENIX ARIZONA, ENTITLED RIGHT OF WAY PLANS OF STATE ROUTE 303L (BOB STUMP MEMORIAL PARKWAY) PROJECT 303L MA 002 H7139 01R LYING 2.50 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE:

COMMENCING AT A BRASS CAP IN HANDHOLE MARKING THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER OF SECTION 2, FROM WHICH THE NORTH QUARTER CORNER OF SAID SECTION 2, A 1" SQUARE IRON, BEARS SOUTH 89. 26' 10", EAST 2645.17 FEET (2644.74 MEASURED); THENCE ALONG THE WEST LINE OF SAID NORTHWEST QUARTER SOUTH 00°17'10" WEST, 748.46 FEET; THENCE DEPARTING SAID WEST LINE NORTH 90°00'00" EAST, 55.00 FEET TO THE EAST RIGHT OF WAY LINE OF CITRUS ROAD; THENCE NORTH 71°28'25" EAST, 67.44 FEET; THENCE NORTH 00°00'00" EAST, 13.08 FEET TO THE POINT OF BEGINNING;

THENCE NORTH 89°18'57" WEST, 63.80 FEET TO THE EASTERLY RIGHT OF WAY LINE OF CITRUS ROAD ALSO BEING THE POINT OF TERMINUS.

SIDELINES TO BE LENGTHENED AND SHORTENED TO CREATE ONE CONTIGUOUS PARCEL.

F(SEND
	<u> </u>
G	NATURAL GRADE
С	FACE OF CURB
W	RIGHT OF WAY
V	ASPHALT
W	ACCESS DRIVEWAY
LF	CHAIN LINK FENCE
ИU	CONCRETE MASONRY UNIT
CR	MARICOPA COUNTY RECORDER
19.18	SPOT ELEVATION
•	DOWN GUY
	FOUND AS NOTED
\supset	POWER POLE

POSITION OF GEODETIC COORDINATES

PROPERTY LINE (OTHER)

OVERHEAD ELECTRIC LINE

PROPERTY LINE

CHAIN LINK FENCE WOOD OR IRON FENCE

CENTERLINE

LEASE LINE

wire or barbed wire fence

LIGHT POLE

— — — EASEMENT LINE

• STREET LIGHT W/MAST



LINE TABLE LINE LENGTH BEARING 67.44 N71° 28' 25"E 13.08 N0° 00' 00"E 15.93 N0° 00' 00"E N90° 00' 00"E 22.67 L5 | 35.33 | S0° 00' 00"E 22.67 N90° 00' 00"W 6.33 N0° 00' 00"E L8 | 63.80 | N89° 18' 57"W



SURVEYOR NOTES

- 1. ALL TITLE INFORMATION IS BASED UPON A COMMITMENT FOR TITLE INSURANCE PREPARED BY GREAT AMERICAN TITLE AGENCY, ORDER NO.: 21304682 EFFECTIVE DATE: 11/09/2015.
- 2. SURVEYOR HAS NOT PERFORMED A SEARCH OF PUBLIC RECORDS TO DETERMINE ANY DEFECT IN TITLE.
- THE BOUNDARY SHOWN HEREON IS PLOTTED FROM RECORD INFORMATION AND DOES NOT CONSTITUTE A BOUNDARY SURVEY OF
- SURVEYOR DOES NOT GUARANTEE THAT ALL UTILITIES ARE SHOWN OR THEIR LOCATIONS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR AND DEVELOPER TO CONTACT BLUE STAKE AND ANY OTHER INVOLVED AGENCIES TO LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION. REMOVAL, RELOCATION AND/ OR REPLACEMENT IS THE RESPONSIBILITY OF THE CONTRACTOR.

PROJECT META DATA

- ELEVATIONS SHOWN HEREON ARE REPRESENTED IN NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88) ESTABLISHED FROM GPS DERIVED ELLIPSOID HEIGHTS, APPLYING GEOID 09 SEPARATIONS CONSTRAINING TO NGS CORS STATIONS PROVIDED IN THE "ONLINE POSITIONING USER SERVICE" (OPUS) SOLUTION FOR THIS SPECIFIC
- BEARINGS SHOWED HEREON ARE BASED UPON U.S. STATE PLANE NAD83 COORDINATE SYSTEM ARIZONA STATE PLANE COORDINATE ZONE CENTRAL, DETERMINED BY GPS OBSERVATIONS.
- 3. FIELD WORK FOR THIS PROJECT WAS PERFORMED ON 11/24/14.

SCHEDULE B EXCEPTIONS


N90° 00' 00"E

NW COR.


_ SEC. 2, T.-1N., R.-2W.

- (16.) AN EASEMENT FOR INGRESS AND EGRESS AND ALL OTHER MATTERS AS SET FORTH THEREIN, RECORDED IN DOCKET 7707, PAGE, 271 RECORDED IN DOCKET 7707, PAGE 282 OF OFFICIAL RECORDS. (REFERENCED)
- (21.) RELINQUISHMENT OF ALL RIGHTS OF INGRESS AND EGRESS TO, FROM AND BETWEEN LIMITED ACCESS HIGHWAY AS SET FORTH IN FINAL ORDER OF CONDEMNATION RECORDED AS DOCKET 14316, PAGE 867 OF OFFICIAL RECORDS. (REFERENCED)


ITEMS 1 THRU 15, 17 THRU 20, AND 21 THRU 25 OF THE CLIENT PROVIDED TITLE REPORT DO NOT CONTAIN GRAPHICALLY PLOTTABLE EASEMENTS, SETBACKS, RESTRICTIONS OR OTHER ENCUMBRANCES. THE SURVEYOR CANNOT GUARANTEE THAT NON-PLOTTABLE ENCUMBRANCES DO NOT EXIST THAT MAY AFFECT THE SUBJECT LEASED PREMISES.



POSITION OF GEODETIC COORDINATES LATITUDE 33° 27' 45.570" NORTH (NAD83) LONGITUDE 112° 26' 37.456" WEST (NAD83) ELEVATION @ GROUND= 1029.4' (NAVD88)



1 inch = 20 ft.





TEMPE, AZ 85283



REUSE OF DOCUMENT THE IDEAS & DESIGN INCORPORATED HEREON, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF RLF CONSULTING, LLC & IS NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT WRITTEN AUTHORIZATION OF RLF CONSULTING, LLC.

	FIELD BY:	JIM
	DRAWN BY:	PAS
,	CHECKED BY:	ABM

	REVISIONS							
8	11/20/15	REVISION						
7	10/19/15	REVISION						
6	05/21/15	REVISION						
5	04/16/15	REVISION						
4	03/20/15	REVISION						
3	03/02/15	REVISION						
2	01/19/15	FINAL						
NO.	DATE	DESCRIPTION						



PROJECT No. 14005002

SITE NAME: PHO COTTON LANE

SITE ADDRESS:


W. MCDOWELL RD. GOODYEAR, AZ 85338


SHEET TITLE:

SITE SURVEY

SHEET NO.

REVISION:







PLANS PREPARED BY:

RELIANT LAND SERVICES

7201 E. CAMELBACK RD, SUITE 310, SCOTTSDALE, AZ 85251
WWW.RLSUSA.COM PH. (602) 453-0050 FAX (602) 453-0002

CONSULTING GROUP:

ı	NO	DATE:	DESCRIPTION: -	— BY: —
ı	A	11/10/15	90% ZD	KD
ı				
ı	0	12/8/15	100% ZD	UC
l				
ı				
l				
I				

SITE INFORMATION:

PHO COTTON LANE

W. MCDOWELL RD GOODYEAR, AZ 85338

MARICOPA COUNTY




SHEET TITLE: -

ENLARGED SITE PLAN

SHEET NUMBER:

A-1.1

A





ANTENNA LAYOUT

|--|

ANTENNA SECTOR	ANTENNA AZIMUTH	CENTERLINE	number Of Panel Antennas	ANTENNA TYPE & NUMBER	CABLE SIZE & NUMBER	COAX CABLE LENGTH	NUMBER OF RRU'S	HYBRID FIBER CABLES	RAYCAP SURGE PROTECTORS	COMMENTS
SECTOR-A	0°	56'	4	(4) 7' DUAL BAND	-	±75'	4			
SECTOR-B	100°	56'	4	(4) 7' DUAL BAND	-	±75'	4	2	2	
SECTOR-C	255°	56'	4	(4) 7' DUAL BAND	-	±75'	4			

COAX CABLE LENGTH IS APPROXIMATE, CONTRACTOR TO FIELD VERIFY CABLE LENGTHS PRIOR TO ORDERING, FABRICATION, OR INSTALLATION OF CABLES.







PLANS PREPARED BY: RELIANT LAND SERVICES 7201 E. CAMELBACK RD, SUITE 310, SCOTTSDALE, AZ 85251 WWW.RLSUSA.COM PH. (602) 453-0050 FAX (602) 453-0002

CONSULTING GROUP:


NO	DATE:	DESCRIPTION: -	— BY: —
А	11/10/15	90% ZD	KD
0	12/8/15	100% ZD	UC

SITE INFORMATION:

PHO COTTON LANE

W. MCDOWELL RD GOODYEAR, AZ 85338

MARICOPA COUNTY



SHEET TITLE: -

EQUIPMENT PLAN & ANTENNA LAYOUT

EQUIPMENT PLAN

